

# Non-stop production


Fast and efficient | High-Automation | Multifunction | Simple operation

High Performance Automatic Folding Gluing Machine & Inspection

Efficient and reliable continuous production of high quality products

## SETUP

- High-end quality inspection system
- 4 line prefolding
- Crash-lock module



INSPECTION | GLUING | FOLDING

## Venus- 90 | 110

 **SimSun**

### Venus/Vesta

High Performance Automatic Folding Gluing Machine

#### Most comprehensive Products

Products packaging apply

#### Most efficient Features

- Feeder
- Alignment
- Prefolding module
- Crash-lock module
- Lower Gluing module
- Folding Station
- Transfer station
- Compression section
- collection section

#### The highest quality Setup

- Technical-overall arrangement
- Technical-Setup
- Technical-information
- Specifications
- Related Products

#### Our Service


After-sale service & Maintenance

#### Page 10/24

The data is not binding. The pictures are for reference only. The manufacturer reserves the right to do so without notice. The right to make modifications.

# Easy-Operation Time-saving

## Dimension



**1**

<b>Venus-90</b>	<b>1</b>	2.5m
	<b>2</b>	19.32m
	<b>3</b>	1.64m


**2**

<b>Venus-110</b>	<b>1</b>	2.5m
	<b>2</b>	20.47m
	<b>3</b>	1.84m


## Technical Information

### Vesta-90 | 110 | 130


Straight line box	Min./mm	Max./mm
<b>C</b>	140	900/1100/1300
<b>E</b>	60	700
<b>L</b>	65	445/545/645




Lock-bottom box	Min./mm	Max./mm
<b>C</b>	200	850/1050/1250
<b>E</b>	60	700
<b>L</b>	95	420/520/620




4-corner box	Min./mm	Max./mm
<b>C</b>	140	800/1000/1200
<b>E</b>	140	700
<b>H</b>	20	150



4-corner box	Min./mm	Max./mm
<b>C</b>	250	800/1000/1200
<b>E</b>	140	700
<b>H</b>	20	150



6-corner box	Min./mm	Max./mm
<b>C</b>	270	800/1000/1200
<b>E</b>	140	700
<b>H</b>	20	150



## Materials

### Vesta-90 | 110 | 130

Cardborad&Carton, Max.	200-800g/m <sup>2</sup>
Corrugated flute type	N1F1E
Thickness, Min.	15mm
<b>Drive system</b>	m/min
Inching speed, Min to	15m/min
Operating speed, Max to	300m/min

## Venus/Vesta

High Performance Automatic  
Folding Gluing Machine

### Most comprehensive Products

Products packaging apply

### Most efficient Features

Feeder  
Alignment  
Prefolding module  
Crash-lock module  
Lower Gluing module  
Folding Station  
Transfer station  
Compression section  
collection section

### The highest quality Setup

Technical-overall arrangement  
Technical-Setup  
Technical-information  
Specifications  
Related Products

## Our Service

After-sale  
service& Maintenance

### Page 17/24

The data is not binding.  
The pictures are for reference only.  
The manufacturer reserves the right  
to do so without noticeThe right to  
make modifications.